

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.

S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

Black-bellied Whistling-Duck (S) <i>Dendrocygna autumnalis</i>	*Northern Shoveler N/S <i>Anas clypeata</i>	*Hooded Merganser N/S <i>Lophodytes cucullatus</i>
Fulvous Whistling-Duck (S) <i>Dendrocygna bicolor</i>	*Northern Pintail N/S <i>Anas acuta</i>	*Common Merganser N/S <i>Mergus merganser</i>
Greater White-fronted Goose N/S <i>Anser albifrons</i>	Garganey (N)/(S) <i>Anas querquedula</i>	*Red-breasted Merganser N/S <i>Mergus serrator</i>
*Snow Goose N/S <i>Chen caerulescens</i>	*Green-winged Teal N/S <i>Anas crecca</i>	*Ruddy Duck N/S <i>Oxyura jamaicensis</i>
*Ross's Goose N/S <i>Chen rossii</i>	*Canvasback N/S <i>Aythya valisineria</i>	*Northern Bobwhite S <i>Colinus virginianus</i>
Brant N/S <i>Branta bernicla</i>	*Redhead N/S <i>Aythya americana</i>	*Gray Partridge N/S <i>Perdix perdix</i>
Barnacle Goose (S) <i>Branta leucopsis</i>	*Ring-necked Duck N/S <i>Aythya collaris</i>	*Ring-necked Pheasant N/S <i>Phasianus colchicus</i>
Cackling Goose N/S <i>Branta hutchinsii</i>	Tufted Duck (N)/(S) <i>Aythya fuligula</i>	*Ruffed Grouse N/S <i>Bonasa umbellus</i>
*Canada Goose N/S <i>Branta canadensis</i>	*Greater Scaup N/S <i>Aythya marila</i>	*Spruce Grouse N/S <i>Falcipennis canadensis</i>
*Mute Swan (N)/S <i>Cygnus olor</i>	*Lesser Scaup N/S <i>Aythya affinis</i>	*Willow Ptarmigan N/(S) <i>Lagopus lagopus</i>
*Trumpeter Swan N/S <i>Cygnus buccinator</i>	*King Eider N/S <i>Somateria spectabilis</i>	Rock Ptarmigan N <i>Lagopus muta</i>
*Tundra Swan N/S <i>Cygnus columbianus</i>	*Common Eider N/(S) <i>Somateria mollissima</i>	*Sharp-tailed Grouse N/S <i>Tympanuchus phasianellus</i>
*Wood Duck N/S <i>Aix sponsa</i>	Harlequin Duck (N)/S <i>Histrionicus histrionicus</i>	*Greater Prairie-Chicken (N)/(S) <i>Tympanuchus cupido</i>
*Gadwall N/S <i>Anas strepera</i>	*Surf Scoter N/S <i>Melanitta perspicillata</i>	*Wild Turkey S <i>Meleagris gallopavo</i>
Eurasian Wigeon (N)/S <i>Anas penelope</i>	*White-winged Scoter N/S <i>Melanitta fusca</i>	*Red-throated Loon N/S <i>Gavia stellata</i>
*American Wigeon N/S <i>Anas americana</i>	*Black Scoter N/S <i>Melanitta americana</i>	*Pacific Loon N/(S) <i>Gavia pacifica</i>
*American Black Duck N/S <i>Anas rubripes</i>	*Long-tailed Duck N/S <i>Clangula hyemalis</i>	*Common Loon N/S <i>Gavia immer</i>
*Mallard N/S <i>Anas platyrhynchos</i>	*Bufflehead N/S <i>Bucephala albeola</i>	Yellow-billed Loon (S) <i>Gavia adamsii</i>
Mottled Duck (S) <i>Anas fulvigula</i>	*Common Goldeneye N/S <i>Bucephala clangula</i>	*Pied-billed Grebe N/S <i>Podilymbus podiceps</i>
*Blue-winged Teal N/S <i>Anas discors</i>	Barrow's Goldeneye (N)/S <i>Bucephala islandica</i>	*Horned Grebe N/S <i>Podiceps auritus</i>
*Cinnamon Teal (N)/(S) <i>Anas cyanoptera</i>	Smew (S) <i>Mergellus albellus</i>	*Red-necked Grebe N/S <i>Podiceps grisegena</i>

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
* - Species recorded as breeding in Ontario.

*Eared Grebe (N)/S <i>Podiceps nigricollis</i>	*American Bittern N/S <i>Botaurus lentiginosus</i>	*Northern Harrier N/S <i>Circus cyaneus</i>
Western Grebe (N)/(S) <i>Aechmophorus occidentalis</i>	*Least Bittern (N)/S <i>Ixobrychus exilis</i>	*Sharp-shinned Hawk N/S <i>Accipiter striatus</i>
Yellow-nosed Albatross (S) <i>Thalassarche chlororhynchos</i>	*Great Blue Heron N/S <i>Ardea herodias</i>	*Cooper's Hawk N/S <i>Accipiter cooperii</i>
Northern Fulmar (N)/(S) <i>Fulmarus glacialis</i>	*Great Egret (N)/S <i>Ardea alba</i>	*Northern Goshawk N/S <i>Accipiter gentilis</i>
Black-capped Petrel (S) <i>Pterodroma hasitata</i>	*Snowy Egret (N)/S <i>Egretta thula</i>	*Red-shouldered Hawk N/S <i>Buteo lineatus</i>
Great Shearwater (S) <i>Puffinus gravis</i>	Little Blue Heron (N)/(S) <i>Egretta caerulea</i>	*Broad-winged Hawk N/S <i>Buteo platypterus</i>
Sooty/Short-tailed Shearwater (N) <i>Puffinus griseus/tenuirostris</i>	Tricolored Heron (N)/(S) <i>Egretta tricolor</i>	Swainson's Hawk (N)/(S) <i>Buteo swainsoni</i>
Manx Shearwater (S) <i>Puffinus puffinus</i>	*Cattle Egret (N)/S <i>Bubulcus ibis</i>	*Red-tailed Hawk N/S <i>Buteo jamaicensis</i>
Audubon's Shearwater (S) <i>Puffinus lherminieri</i>	*Green Heron (N)/S <i>Butorides virescens</i>	Ferruginous Hawk (S) <i>Buteo regalis</i>
Wilson's Storm-Petrel (S) <i>Oceanites oceanicus</i>	*Black-crowned Night-Heron (N)/S <i>Nycticorax nycticorax</i>	*Rough-legged Hawk N/S <i>Buteo lagopus</i>
Leach's Storm-Petrel (N)/(S) <i>Oceanodroma leucorhoa</i>	Yellow-crowned Night-Heron (S) <i>Nyctanassa violacea</i>	*Golden Eagle N/S <i>Aquila chrysaetos</i>
Band-rumped Storm-Petrel (S) <i>Oceanodroma castro</i>	White Ibis (S) <i>Eudocimus albus</i>	Crested Caracara (N)/(S) <i>Caracara cheriway</i>
Wood Stork (S) <i>Mycteria americana</i>	Glossy Ibis (S) <i>Plegadis falcinellus</i>	*American Kestrel N/S <i>Falco sparverius</i>
Magnificent Frigatebird (S) <i>Fregata magnificens</i>	White-faced Ibis (S) <i>Plegadis chihi</i>	*Merlin N/S <i>Falco columbarius</i>
Northern Gannet (N)/(S) <i>Morus bassanus</i>	Roseate Spoonbill (S) <i>Platalea ajaja</i>	Gyr Falcon N/S <i>Falco rusticolus</i>
Neotropic Cormorant (S) <i>Phalacrocorax brasilianus</i>	Black Vulture (N)/S <i>Coragyps atratus</i>	*Peregrine Falcon N/S <i>Falco peregrinus</i>
*Double-crested Cormorant N/S <i>Phalacrocorax auritus</i>	*Turkey Vulture N/S <i>Cathartes aura</i>	Prairie Falcon (S) <i>Falco mexicanus</i>
Great Cormorant (S) <i>Phalacrocorax carbo</i>	*Osprey N/S <i>Pandion haliaetus</i>	*Yellow Rail N/S <i>Coturnicops noveboracensis</i>
Anhinga (S) <i>Anhinga anhinga</i>	Swallow-tailed Kite (N)/(S) <i>Elanoides forficatus</i>	Black Rail (S) <i>Laterallus jamaicensis</i>
*American White Pelican N/S <i>Pelecanus erythrorhynchos</i>	Mississippi Kite (S) <i>Ictinia mississippiensis</i>	*King Rail S <i>Rallus elegans</i>
Brown Pelican (N)/(S) <i>Pelecanus occidentalis</i>	*Bald Eagle N/S <i>Haliaeetus leucocephalus</i>	*Virginia Rail N/S <i>Rallus limicola</i>

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
* - Species recorded as breeding in Ontario.

*Sora N/S <i>Porzana carolina</i>	*Greater Yellowlegs N/S <i>Tringa melanoleuca</i>	Sharp-tailed Sandpiper (N)/(S) <i>Calidris acuminata</i>
Purple Gallinule (N)/(S) <i>Porphyrio martinica</i>	Willet (N)/S <i>Tringa semipalmata</i>	Purple Sandpiper N/S <i>Calidris maritima</i>
*Common Gallinule (N)/S <i>Gallinula galeata</i>	*Lesser Yellowlegs N/S <i>Tringa flavipes</i>	*Dunlin N/S <i>Calidris alpina</i>
*American Coot N/S <i>Fulica americana</i>	*Upland Sandpiper N/S <i>Bartramia longicauda</i>	Curlew Sandpiper (N)/(S) <i>Calidris ferruginea</i>
*Sandhill Crane N/S <i>Grus canadensis</i>	Eskimo Curlew (N)/(S) <i>Numenius borealis</i>	*Stilt Sandpiper N/S <i>Calidris himantopus</i>
Whooping Crane (S) <i>Grus americana</i>	*Whimbrel N/S <i>Numenius phaeopus</i>	Buff-breasted Sandpiper N/S <i>Tryngites subruficollis</i>
Black-bellied Plover N/S <i>Pluvialis squatarola</i>	Slender-billed Curlew (S) <i>Numenius tenuirostris</i>	Ruff (N)/S <i>Philomachus pugnax</i>
*American Golden-Plover N/S <i>Pluvialis dominica</i>	Long-billed Curlew (S) <i>Numenius americanus</i>	*Short-billed Dowitcher N/S <i>Limnodromus griseus</i>
Lesser Sand-Plover (S) <i>Charadrius mongolus</i>	Black-tailed Godwit (S) <i>Limosa limosa</i>	Long-billed Dowitcher N/S <i>Limnodromus scolopaceus</i>
Snowy Plover (N)/(S) <i>Charadrius nivosus</i>	*Hudsonian Godwit N/S <i>Limosa haemastica</i>	*Wilson's Snipe N/S <i>Gallinago delicata</i>
Wilson's Plover (S) <i>Charadrius wilsonia</i>	*Marbled Godwit N/S <i>Limosa fedoa</i>	*American Woodcock N/S <i>Scolopax minor</i>
*Semipalmated Plover N/S <i>Charadrius semipalmatus</i>	Ruddy Turnstone N/S <i>Arenaria interpres</i>	*Wilson's Phalarope N/S <i>Phalaropus tricolor</i>
*Piping Plover (N)/(S) <i>Charadrius melodus</i>	Red Knot N/S <i>Calidris canutus</i>	*Red-necked Phalarope N/S <i>Phalaropus lobatus</i>
*Killdeer N/S <i>Charadrius vociferus</i>	Sanderling N/S <i>Calidris alba</i>	Red Phalarope N/S <i>Phalaropus fulicarius</i>
American Oystercatcher (S) <i>Haematopus palliatus</i>	*Semipalmated Sandpiper N/S <i>Calidris pusilla</i>	Black-legged Kittiwake (N)/S <i>Rissa tridactyla</i>
*Black-necked Stilt (N)/(S) <i>Himantopus mexicanus</i>	Western Sandpiper (N)/S <i>Calidris mauri</i>	Ivory Gull (N)/(S) <i>Pagophila eburnea</i>
*American Avocet (N)/S <i>Recurvirostra americana</i>	Little Stint (N)/(S) <i>Calidris minuta</i>	Sabine's Gull N/S <i>Xema sabini</i>
*Spotted Sandpiper N/S <i>Actitis macularia</i>	*Least Sandpiper N/S <i>Calidris minutilla</i>	*Bonaparte's Gull N/S <i>Chroicocephalus philadelphia</i>
*Solitary Sandpiper N/S <i>Tringa solitaria</i>	White-rumped Sandpiper N/S <i>Calidris fuscicollis</i>	Black-headed Gull (N)/S <i>Chroicocephalus ridibundus</i>
Wandering Tattler (S) <i>Tringa incana</i>	Baird's Sandpiper N/S <i>Calidris bairdii</i>	*Little Gull N/S <i>Hydrocoloeus minutus</i>
Spotted Redshank (S) <i>Tringa erythropus</i>	*Pectoral Sandpiper N/S <i>Calidris melanotos</i>	Ross's Gull (N)/(S) <i>Rhodostethia rosea</i>

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
 S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
 * - Species recorded as breeding in Ontario.

Laughing Gull (N)/S <i>Leucophaeus atricilla</i>	*Forster's Tern N/S <i>Sterna forsteri</i>	Common Ground-Dove (N)/(S) <i>Columbina passerina</i>
Franklin's Gull N/S <i>Leucophaeus pipixcan</i>	Royal Tern (S) <i>Thalasseus maximus</i>	*Yellow-billed Cuckoo N/S <i>Coccyzus americanus</i>
Black-tailed Gull (S) <i>Larus crassirostris</i>	Sandwich Tern (S) <i>Thalasseus sandvicensis</i>	*Black-billed Cuckoo N/S <i>Coccyzus erythrophthalmus</i>
Heermann's Gull (S) <i>Larus heermanni</i>	Black Skimmer (N)/(S) <i>Rynchops niger</i>	Groove-billed Ani (N)/(S) <i>Crotophaga sulcirostris</i>
Mew Gull (S) <i>Larus canus</i>	Pomarine Jaeger (N)/S <i>Stercorarius pomarinus</i>	*Barn Owl (N)/(S) <i>Tyto alba</i>
*Ring-billed Gull N/S <i>Larus delawarensis</i>	*Parasitic Jaeger N/S <i>Stercorarius parasiticus</i>	*Eastern Screech-Owl (N)/S <i>Megascops asio</i>
*California Gull (N)/(S) <i>Larus californicus</i>	Long-tailed Jaeger N/S <i>Stercorarius longicaudus</i>	*Great Horned Owl N/S <i>Bubo virginianus</i>
*Herring Gull N/S <i>Larus argentatus</i>	Dovekie (N)/(S) <i>Alle alle</i>	Snowy Owl N/S <i>Bubo scandiacus</i>
Thayer's Gull N/S <i>Larus thayeri</i>	Thick-billed Murre (S) <i>Uria lomvia</i>	*Northern Hawk Owl N/S <i>Surnia ulula</i>
Iceland Gull N/S <i>Larus glaucooides</i>	Razorbill (S) <i>Alca torda</i>	Burrowing Owl (N)/(S) <i>Athene cunicularia</i>
Lesser Black-backed Gull (N)/S <i>Larus fuscus</i>	*Black Guillemot N/(S) <i>Cepphus grylle</i>	*Barred Owl N/S <i>Strix varia</i>
Slaty-backed Gull (S) <i>Larus schistisagus</i>	Long-billed Murrelet (S) <i>Brachyramphus perdix</i>	*Great Gray Owl N/S <i>Strix nebulosa</i>
Glaucous Gull N/S <i>Larus hyperboreus</i>	Ancient Murrelet (S) <i>Synthliboramphus antiquus</i>	*Long-eared Owl N/S <i>Asio otus</i>
*Great Black-backed Gull N/S <i>Larus marinus</i>	Atlantic Puffin (N)/(S) <i>Fratercula arctica</i>	*Short-eared Owl N/S <i>Asio flammeus</i>
Sooty Tern (S) <i>Onychoprion fuscatus</i>	*Rock Pigeon N/S <i>Columba livia</i>	*Boreal Owl N/S <i>Aegolius funereus</i>
Least Tern (N)/(S) <i>Sternula antillarum</i>	Band-tailed Pigeon (N)/(S) <i>Patagioenas fasciata</i>	*Northern Saw-whet Owl N/S <i>Aegolius acadicus</i>
*Caspian Tern N/S <i>Hydroprogne caspia</i>	Eurasian Collared-Dove (N)/(S) <i>Streptopelia decaocto</i>	Lesser Nighthawk (S) <i>Chordeiles acutipennis</i>
*Black Tern N/S <i>Chlidonias niger</i>	White-winged Dove (N)/(S) <i>Zenaida asiatica</i>	*Common Nighthawk N/S <i>Chordeiles minor</i>
White-winged Tern (S) <i>Chlidonias leucopterus</i>	*Mourning Dove N/S <i>Zenaida macroura</i>	Common Poorwill (N) <i>Phalaenoptilus nuttallii</i>
*Common Tern N/S <i>Sterna hirundo</i>	*Passenger Pigeon (Extinct) <i>Ectopistes migratorius</i>	*Chuck-will's-widow (S) <i>Caprimulgus carolinensis</i>
*Arctic Tern N/(S) <i>Sterna paradisaea</i>	Inca Dove (N) <i>Columbina inca</i>	*Eastern Whip-poor-will N/S <i>Caprimulgus vociferus</i>

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
 S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
 * - Species recorded as breeding in Ontario.

Black Swift (S) <i>Cypseloides niger</i>	Western Wood-Pewee (N)/(S) <i>Contopus sordidulus</i>	Scissor-tailed Flycatcher (N)/(S) <i>Tyrannus forficatus</i>
White-collared Swift (S) <i>Streptoprocne zonaris</i>	*Eastern Wood-Pewee N/S <i>Contopus virens</i>	Fork-tailed Flycatcher (N)/(S) <i>Tyrannus savana</i>
*Chimney Swift N/S <i>Chaetura pelagica</i>	*Yellow-bellied Flycatcher N/S <i>Empidonax flaviventris</i>	*Loggerhead Shrike (N)/S <i>Lanius ludovicianus</i>
Green Violetear (N) <i>Colibri thalassinus</i>	*Acadian Flycatcher S <i>Empidonax virens</i>	*Northern Shrike N/S <i>Lanius excubitor</i>
Broad-billed Hummingbird (S) <i>Cyanthus latirostris</i>	*Alder Flycatcher N/S <i>Empidonax alnorum</i>	*White-eyed Vireo (N)/S <i>Vireo griseus</i>
*Ruby-throated Hummingbird N/S <i>Archilochus colubris</i>	*Willow Flycatcher (N)/S <i>Empidonax traillii</i>	Bell's Vireo (N)/(S) <i>Vireo bellii</i>
Black-chinned Hummingbird (S) <i>Archilochus alexandri</i>	*Least Flycatcher N/S <i>Empidonax minimus</i>	Black-capped Vireo (S) <i>Vireo atricapilla</i>
Anna's Hummingbird (S) <i>Calypte anna</i>	Gray Flycatcher (S) <i>Empidonax wrightii</i>	*Yellow-throated Vireo N/S <i>Vireo flavifrons</i>
Rufous Hummingbird (N)/(S) <i>Selasphorus rufus</i>	Dusky Flycatcher (N) <i>Empidonax oberholseri</i>	Plumbeous Vireo (S) <i>Vireo plumbeus</i>
*Belted Kingfisher N/S <i>Megaceryle alcyon</i>	*Eastern Phoebe N/S <i>Sayornis phoebe</i>	*Blue-headed Vireo N/S <i>Vireo solitarius</i>
Lewis's Woodpecker (N)/(S) <i>Melanerpes lewis</i>	Say's Phoebe (N)/(S) <i>Sayornis saya</i>	*Warbling Vireo N/S <i>Vireo gilvus</i>
*Red-headed Woodpecker N/S <i>Melanerpes erythrocephalus</i>	Vermilion Flycatcher (S) <i>Pyrocephalus rubinus</i>	*Philadelphia Vireo N/S <i>Vireo philadelphicus</i>
*Red-bellied Woodpecker N/S <i>Melanerpes carolinus</i>	Ash-throated Flycatcher (N)/(S) <i>Myiarchus cinerascens</i>	*Red-eyed Vireo N/S <i>Vireo olivaceus</i>
*Yellow-bellied Sapsucker N/S <i>Sphyrapicus varius</i>	*Great Crested Flycatcher N/S <i>Myiarchus crinitus</i>	*Gray Jay N/S <i>Perisoreus canadensis</i>
*Downy Woodpecker N/S <i>Picoides pubescens</i>	Sulphur-bellied Flycatcher (N)/(S) <i>Myiodynastes luteiventris</i>	*Blue Jay N/S <i>Cyanocitta cristata</i>
*Hairy Woodpecker N/S <i>Picoides villosus</i>	Variiegated Flycatcher (S) <i>Empidonax varius</i>	Clark's Nutcracker (N) <i>Nucifraga columbiana</i>
*American Three-toed Woodpecker N/S <i>Picoides dorsalis</i>	Tropical Kingbird (S) <i>Tyrannus melancholicus</i>	*Black-billed Magpie N/(S) <i>Pica hudsonia</i>
*Black-backed Woodpecker N/S <i>Picoides arcticus</i>	Cassin's Kingbird (S) <i>Tyrannus vociferans</i>	Eurasian Jackdaw (S) <i>Corvus monedula</i>
*Northern Flicker N/S <i>Colaptes auratus</i>	*Western Kingbird N/S <i>Tyrannus verticalis</i>	*American Crow N/S <i>Corvus brachyrhynchos</i>
*Pileated Woodpecker N/S <i>Dryocopus pileatus</i>	*Eastern Kingbird N/S <i>Tyrannus tyrannus</i>	Fish Crow (S) <i>Corvus ossifragus</i>
*Olive-sided Flycatcher N/S <i>Contopus cooperi</i>	Gray Kingbird (S) <i>Tyrannus dominicensis</i>	*Common Raven N/S <i>Corvus corax</i>

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
* - Species recorded as breeding in Ontario.

*Horned Lark N/S <i>Eremophila alpestris</i>	*Sedge Wren N/S <i>Cistothorus platensis</i>	*Northern Mockingbird N/S <i>Mimus polyglottos</i>
*Purple Martin N/S <i>Progne subis</i>	*Marsh Wren N/S <i>Cistothorus palustris</i>	Sage Thrasher (N)/(S) <i>Oreoscoptes montanus</i>
*Tree Swallow N/S <i>Tachycineta bicolor</i>	*Blue-gray Gnatcatcher (N)/S <i>Poliophtila caerulea</i>	*Brown Thrasher N/S <i>Toxostoma rufum</i>
Violet-green Swallow (N) <i>Tachycineta thalassina</i>	*Golden-crowned Kinglet N/S <i>Regulus satrapa</i>	*European Starling N/S <i>Sturnus vulgaris</i>
*Northern Rough-winged Swallow N/S <i>Stelgidopteryx serripennis</i>	*Ruby-crowned Kinglet N/S <i>Regulus calendula</i>	*American Pipit N/S <i>Anthus rubescens</i>
*Bank Swallow N/S <i>Riparia riparia</i>	Siberian Rubythroat (S) <i>Luscinia calliope</i>	Sprague's Pipit (N) <i>Anthus spragueii</i>
*Cliff Swallow N/S <i>Petrochelidon pyrrhonota</i>	Northern Wheatear (N)/(S) <i>Oenanthe oenanthe</i>	*Bohemian Waxwing N/S <i>Bombycilla garrulus</i>
Cave Swallow S <i>Petrochelidon fulva</i>	*Eastern Bluebird N/S <i>Sialia sialis</i>	*Cedar Waxwing N/S <i>Bombycilla cedrorum</i>
*Barn Swallow N/S <i>Hirundo rustica</i>	Mountain Bluebird (N)/(S) <i>Sialia currucoides</i>	Phainopepla (S) <i>Phainopepla nitens</i>
Carolina Chickadee (S) <i>Poecile carolinensis</i>	Townsend's Solitaire N/(S) <i>Myadestes townsendi</i>	*Lapland Longspur N/S <i>Calcarius lapponicus</i>
*Black-capped Chickadee N/S <i>Poecile atricapillus</i>	*Veery N/S <i>Catharus fuscescens</i>	Chestnut-collared Longspur (N)/(S) <i>Calcarius ornatus</i>
*Boreal Chickadee N/S <i>Poecile hudsonicus</i>	*Gray-cheeked Thrush N/S <i>Catharus minimus</i>	*Smith's Longspur N/(S) <i>Calcarius pictus</i>
*Tufted Titmouse S <i>Baeolophus bicolor</i>	Bicknell's Thrush (S) <i>Catharus bicknelli</i>	McCown's Longspur (N) <i>Rhynchophanes mccownii</i>
*Red-breasted Nuthatch N/S <i>Sitta canadensis</i>	*Swainson's Thrush N/S <i>Catharus ustulatus</i>	*Snow Bunting N/S <i>Plectrophenax nivalis</i>
*White-breasted Nuthatch N/S <i>Sitta carolinensis</i>	*Hermit Thrush N/S <i>Catharus guttatus</i>	*Ovenbird N/S <i>Seiurus aurocapilla</i>
*Brown Creeper N/S <i>Certhia americana</i>	*Wood Thrush N/S <i>Hylocichla mustelina</i>	Worm-eating Warbler S <i>Helmitheros vermivorum</i>
Rock Wren (N)/(S) <i>Salpinctes obsoletus</i>	Eurasian Blackbird (S) <i>Turdus merula</i>	*Louisiana Waterthrush S <i>Parkesia motacilla</i>
*Carolina Wren (N)/S <i>Thryothorus ludovicianus</i>	Fieldfare (S) <i>Turdus pilaris</i>	*Northern Waterthrush N/S <i>Parkesia noveboracensis</i>
*Bewick's Wren (N)/(S) <i>Thryomanes bewickii</i>	*American Robin N/S <i>Turdus migratorius</i>	*Golden-winged Warbler N/S <i>Vermivora chrysoptera</i>
*House Wren N/S <i>Troglodytes aedon</i>	Varied Thrush N/S <i>Ixoreus naevius</i>	*Blue-winged Warbler (N)/S <i>Vermivora cyanoptera</i>
*Winter Wren N/S <i>Troglodytes hiemalis</i>	*Gray Catbird N/S <i>Dumetella carolinensis</i>	*Black-and-white Warbler N/S <i>Mniotilta varia</i>

Checklist of the Birds of Ontario

Legend:

N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
* - Species recorded as breeding in Ontario.

*Prothonotary Warbler (N)/S <i>Protonotaria citrea</i>	*Blackpoll Warbler N/S <i>Setophaga striata</i>	*Chipping Sparrow N/S <i>Spizella passerina</i>
Swainson's Warbler (S) <i>Limnothlypis swainsonii</i>	*Black-throated Blue Warbler N/S <i>Setophaga caerulescens</i>	*Clay-colored Sparrow N/S <i>Spizella pallida</i>
*Tennessee Warbler N/S <i>Oreothlypis peregrina</i>	*Palm Warbler N/S <i>Setophaga palmarum</i>	Brewer's Sparrow (N) <i>Spizella breweri</i>
*Orange-crowned Warbler N/S <i>Oreothlypis celata</i>	*Pine Warbler N/S <i>Setophaga pinus</i>	*Field Sparrow (N)/S <i>Spizella pusilla</i>
*Nashville Warbler N/S <i>Oreothlypis ruficapilla</i>	*Yellow-rumped Warbler N/S <i>Setophaga coronata</i>	*Vesper Sparrow N/S <i>Poocetes gramineus</i>
Virginia's Warbler (N)/(S) <i>Oreothlypis virginiae</i>	Yellow-throated Warbler (N)/S <i>Setophaga dominica</i>	*Lark Sparrow N/S <i>Chondestes grammacus</i>
*Connecticut Warbler N/S <i>Oporornis agilis</i>	*Prairie Warbler (N)/S <i>Setophaga discolor</i>	Black-throated Sparrow (N)/(S) <i>Amphispiza bilineata</i>
*Mourning Warbler N/S <i>Geothlypis philadelphia</i>	Black-throated Gray Warbler (S) <i>Setophaga nigrescens</i>	Lark Bunting (N)/(S) <i>Calamospiza melanocorys</i>
Kentucky Warbler (N)/S <i>Geothlypis formosa</i>	Townsend's Warbler (N)/(S) <i>Setophaga townsendi</i>	*Savannah Sparrow N/S <i>Passerculus sandwichensis</i>
*Common Yellowthroat N/S <i>Geothlypis trichas</i>	Hermit Warbler (S) <i>Setophaga occidentalis</i>	*Grasshopper Sparrow (N)/S <i>Ammodramus savannarum</i>
*Hooded Warbler (N)/S <i>Setophaga citrina</i>	*Black-throated Green Warbler N/S <i>Setophaga virens</i>	Baird's Sparrow (N) <i>Ammodramus bairdii</i>
*American Redstart N/S <i>Setophaga ruticilla</i>	*Canada Warbler N/S <i>Cardellina canadensis</i>	*Henslow's Sparrow (N)/(S) <i>Ammodramus henslowii</i>
*Kirtland's Warbler (N)/(S) <i>Setophaga kirtlandii</i>	*Wilson's Warbler N/S <i>Cardellina pusilla</i>	*Le Conte's Sparrow N/S <i>Ammodramus leconteii</i>
*Cape May Warbler N/S <i>Setophaga tigrina</i>	Painted Redstart (S) <i>Myioborus pictus</i>	*Nelson's Sparrow N/S <i>Ammodramus nelsoni</i>
*Cerulean Warbler S <i>Setophaga cerulea</i>	*Yellow-breasted Chat (N)/S <i>Icteria virens</i>	*Fox Sparrow N/S <i>Passerella iliaca</i>
*Northern Parula N/S <i>Setophaga americana</i>	Green-tailed Towhee (N)/(S) <i>Pipilo chlorurus</i>	*Song Sparrow N/S <i>Melospiza melodia</i>
*Magnolia Warbler N/S <i>Setophaga magnolia</i>	Spotted Towhee (N)/(S) <i>Pipilo maculatus</i>	*Lincoln's Sparrow N/S <i>Melospiza lincolni</i>
*Bay-breasted Warbler N/S <i>Setophaga castanea</i>	*Eastern Towhee N/S <i>Pipilo erythrophthalmus</i>	*Swamp Sparrow N/S <i>Melospiza georgiana</i>
*Blackburnian Warbler N/S <i>Setophaga fusca</i>	Cassin's Sparrow (N)/(S) <i>Peucaea cassinii</i>	*White-throated Sparrow N/S <i>Zonotrichia albicollis</i>
*Yellow Warbler N/S <i>Setophaga petechia</i>	Bachman's Sparrow (S) <i>Peucaea aestivalis</i>	*Harris's Sparrow N/S <i>Zonotrichia querula</i>
*Chestnut-sided Warbler N/S <i>Setophaga pensylvanica</i>	*American Tree Sparrow N/S <i>Spizella arborea</i>	*White-crowned Sparrow N/S <i>Zonotrichia leucophrys</i>

Checklist of the Birds of Ontario

Legend:

- N - Species recorded in North; (N) indicates the OBRC requires documentation when the species is recorded in the region.
S - Species recorded in South; (S) indicates the OBRC requires documentation when the species is recorded in the region.
* - Species recorded as breeding in Ontario.

Golden-crowned Sparrow (N)/(S) <i>Zonotrichia atricapilla</i>	*Brewer's Blackbird N/S <i>Euphagus cyanocephalus</i>	*American Goldfinch N/S <i>Spinus tristis</i>
*Dark-eyed Junco N/S <i>Junco hyemalis</i>	*Common Grackle N/S <i>Quiscalus quiscula</i>	*Evening Grosbeak N/S <i>Coccothraustes vespertinus</i>
Summer Tanager (N)/S <i>Piranga rubra</i>	Great-tailed Grackle (N)/(S) <i>Quiscalus mexicanus</i>	*House Sparrow N/S <i>Passer domesticus</i>
*Scarlet Tanager N/S <i>Piranga olivacea</i>	*Brown-headed Cowbird N/S <i>Molothrus ater</i>	Eurasian Tree Sparrow (S) <i>Passer montanus</i>
Western Tanager (N)/(S) <i>Piranga ludoviciana</i>	*Orchard Oriole (N)/S <i>Icterus spurius</i>	
*Northern Cardinal N/S <i>Cardinalis cardinalis</i>	Hooded Oriole (S) <i>Icterus cucullatus</i>	
Pyrrhuloxia (S) <i>Cardinalis sinuatus</i>	Bullock's Oriole (N)/(S) <i>Icterus bullockii</i>	
*Rose-breasted Grosbeak N/S <i>Pheucticus ludovicianus</i>	*Baltimore Oriole N/S <i>Icterus galbula</i>	
Black-headed Grosbeak (N)/(S) <i>Pheucticus melanocephalus</i>	Scott's Oriole (N) <i>Icterus parisorum</i>	
Blue Grosbeak (N)/(S) <i>Passerina caerulea</i>	Brambling (N)/(S) <i>Fringilla montifringilla</i>	
Lazuli Bunting (N)/(S) <i>Passerina amoena</i>	Gray-crowned Rosy-Finch (N)/(S) <i>Leucosticte tephrocotis</i>	
*Indigo Bunting N/S <i>Passerina cyanea</i>	*Pine Grosbeak N/S <i>Pinicola enucleator</i>	
Varied Bunting (S) <i>Passerina versicolor</i>	*Purple Finch N/S <i>Carpodacus purpureus</i>	
Painted Bunting (N)/(S) <i>Passerina ciris</i>	Cassin's Finch (S) <i>Carpodacus cassinii</i>	
*Dickcissel (N)/S <i>Spiza americana</i>	*House Finch N/S <i>Carpodacus mexicanus</i>	
*Bobolink N/S <i>Dolichonyx oryzivorus</i>	*Red Crossbill N/S <i>Loxia curvirostra</i>	
*Red-winged Blackbird N/S <i>Agelaius phoeniceus</i>	*White-winged Crossbill N/S <i>Loxia leucoptera</i>	
*Eastern Meadowlark N/S <i>Sturnella magna</i>	*Common Redpoll N/S <i>Acanthis flammea</i>	
*Western Meadowlark N/S <i>Sturnella neglecta</i>	Hoary Redpoll N/S <i>Acanthis hornemanni</i>	
*Yellow-headed Blackbird N/S <i>Xanthocephalus xanthocephalus</i>	*Pine Siskin N/S <i>Spinus pinus</i>	
*Rusty Blackbird N/S <i>Euphagus carolinus</i>	Lesser Goldfinch (S) <i>Spinus psaltria</i>	